



GLOBAL AGRICHEM
SAFETY DATA SHEET

Suite 4, level 1, 38 Whitaker Place, Grafton
Auckland, New Zealand
Tel: +64 09 972 9837
Fax: +64 09 353 1736
info@globalagrlichem.co.nz

Trade name: **IMIDATAR**

Date of issue: 01 September 2015
Page 1 of 7

1. Identification of the Substance and Supplier.

Product name: Imidatar (Imidacloprid 600g/litre SC)
Recommended Use: Insecticide.
Company Details: Global Agrichem Limited
Suite 4, level 1, 38 Whitaker Place.
Grafton, Auckland
New Zealand
Web Address: www.globalagrlichem.co.nz
E-mail Address: info@globalagrlichem.co.nz
Telephone number: (09) 972 9837
Emergency Telephone: National Poisons and Hazardous Chemicals Information Centre
Dunedin. Phone: 0800 POISON (0800 764-766)

2. Hazards identification. Classified by EPA as a hazardous substance according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

HSNO Hazard Classification:

6.1C: Toxic - May be fatal if swallowed, inhaled or absorbed through the skin
6.5B: Harmful - May cause sensitisation from prolonged skin contact
6.9B: Harmful - May cause organ damage from repeated oral exposure at high doses
8.3A: Danger - This product is corrosive and may cause eye damage
9.1A: Very Toxic to aquatic organisms
9.2A: Very Toxic to the soil environment
9.3A: Very Toxic to terrestrial vertebrates
9.4A: Very Toxic to terrestrial invertebrates

Precautions: Avoid contact with the eyes. Wear eye protection.
Avoid skin contact. Wear protective clothing
Avoid contamination of any water supply with product or empty containers
Do not release into the environment



GLOBAL AGRICHEM

SAFETY DATA SHEET

Suite 4, level 1, 38 Whitaker Place, Grafton
Auckland, New Zealand
Tel: +64 09 972 9837
Fax: +64 09 353 1736
info@globalagrichem.co.nz

Trade name: **IMIDATAR**

Date of issue: 01 September 2015
Page 2 of 7

3. Composition/Information on Ingredients

Ingredient	CAS Number	Content (% w/v)
Imidacloprid	138261-41-3	50.9
Isotridecanol ethoxylate	69011-36-5	4.9
Supragil MNS 90	81065-51-2	2.0
Dimethylpolysiloxane	9016-00-6	0.4
Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4719-04-4	0.4
Titanium dioxide	13463-67-7	0.4
Other non- hazardous ingredients	-	To 100%

4. First aid measures

- First Aid:** For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Obtain medical attention.
- Inhalation:** Remove patient to fresh air. Lie down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
- Ingestion:** Never give anything by mouth to an unconscious person. If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre (0800 764 766). Seek medical assistance immediately.
- Skin Contact:** Immediately flush body and clothes with large amounts of water. Remove contaminated clothing and footwear. Wash affected areas with soap and water. If a large area is affected seek medical assistance.
- Eye Contact:** Flush eyes with plenty of water for 15 minutes holding eyelids open if necessary. Seek medical assistance.
- First Aid Facilities:** Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.
- Advice to Doctor:** Treat symptomatically (No specific antidote).

5. Fire-fighting measures

Suitable extinguishing media: Water, fog, foam, carbon dioxide or dry chemical.

Hazards from combustion: May emit toxic fumes of hydrogen chloride, hydrogen cyanide, carbon monoxide and nitrogen oxides if involved in fires or exposed to extreme heat.



GLOBAL AGRICHEM

SAFETY DATA SHEET

Suite 4, level 1, 38 Whitaker Place, Grafton
Auckland, New Zealand
Tel: +64 09 972 9837
Fax: +64 09 353 1736
info@globalagrchem.co.nz

Trade name: **IMIDATAR**

Date of issue: 01 September 2015
Page 3 of 7

Special protective equipment for fire fighters: Wear full protective clothing and self-contained breathing apparatus.

Special fire-fighting methods: Keep upwind. Do not allow run-off from firefighting to enter sewage, effluent systems, drains or water courses.

Hazchem Code: 2X

Other Information: Location Certificate: Not applicable
Hazardous Atmosphere Zone: Not applicable
Number of Fire extinguishers: Not applicable

6. Accidental release measures

Spills and Disposal: Exclude non-essential people from the area. Wear protective clothing. Contain the spill and absorb with absorbent material (e.g. sand, soil or absorbent granules). If spill does enter waterways, contact the local authority. Collect the absorbed spill in an appropriate sealable container for disposal in an approved landfill. Decontaminate the spill area with detergent and water. Absorb with inert material and dispose of waste safely in an approved landfill.

Personal Protection: Ensure suitable personal protection (PPE). Wear eye protection, chemically resistant gloves boots and overalls.

Environmental precautions: Prevent washings from entering surface water drains or waterways.

7. Handling and storage

Precautions for safe handling: Do not apply this product onto or into water.
Avoid skin and eye contact and inhalation of spray mist
Approved handler: This product must be under the control of an approved handler when applied in a wide dispersive manner or used by a commercial contractor.
Tracking: Location and movement of this product must be recorded at each stage of its lifecycle
Record Keeping: Records of use as described in NZS 8409 Management of Agrichemicals must be kept.

Conditions for Safe Storage: Keep out of reach of children.
Store in the original container tightly closed in a locked dry cool area away from foodstuffs.
Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals.
Stores containing 100 litres of Imidatar require signage and secondary containment, more than 100 litres require emergency response plans.



GLOBAL AGRICHEM

SAFETY DATA SHEET

Suite 4, level 1, 38 Whitaker Place, Grafton
Auckland, New Zealand
Tel: +64 09 972 9837
Fax: +64 09 353 1736
info@globalagrchem.co.nz

Trade name: **IMIDATAR**

Date of issue: 01 September 2015
Page 4 of 7

8. Exposure controls/personal protection

Occupational exposure limit values: No exposure limits (WES, TEL or EEL's) have been specifically assigned to this product.

Engineering controls: No special requirements. Product is used outdoors. Handle in well ventilated areas. Generally, natural ventilation is adequate.

Personal Protective Equipment: When opening the container, preparing the spray or applying the product, wear safety goggles, impervious gloves, cotton overalls (worn outside rubber boots)

Hygiene Measures: Do not eat, drink or smoke while using the product.
Remove protective clothing and wash hands and face thoroughly before meals and after work.
Wash protective clothing daily after work.

9. Physical and chemical properties

Appearance: Liquid
Colour: white suspension
Odour: Characteristic
Boiling point: > 100°C
Flash point: Not flammable
Density: 1.215
pH: 5.0 - 9.0
Water solubility: Disperses in water. Not soluble

10. Stability and reactivity

Chemical Stability: Stable under normal conditions of handling and storage.

Possibility of hazardous reactions: Keep away from strong oxidising agents.

Hazardous Polymerisation: Will not occur.

11. Toxicological information

Acute Toxicity: Toxicology data has not been determined specifically for this product. Data given below is for the active ingredient imidacloprid.
Acute oral LD₅₀ (rat male & female): 450 mg/kg
Acute percutaneous LD₅₀ (rat): > 5000 mg/kg
Inhalation LC₅₀ 4 hour (rat): > 5323 mg/ m³

Ingestion: Swallowing large quantities may cause vomiting, diarrhoea, abdominal pain, lethargy, depressed muscular tone, muscular cramps, respiratory disturbances and trembling.



GLOBAL AGRICHEM

SAFETY DATA SHEET

Suite 4, level 1, 38 Whitaker Place, Grafton
Auckland, New Zealand
Tel: +64 09 972 9837
Fax: +64 09 353 1736
info@globalagrichem.co.nz

Trade name: **IMIDATAR**

Date of issue: 01 September 2015
Page 5 of 7

Irritation:	Non-irritating to eyes and skin (rabbit) – Imidacloprid Formulated product is not a skin irritant but is corrosive to eyes (HSNO)
Inhalation:	Avoid inhalation of spray mist while applying the product. Inhalation may cause similar effects to ingestion.
Sensitisation:	May cause sensitisation from prolonged skin contact.
Carcinogenicity:	No data available
Mutagenicity:	Not mutagenic.
Reproductive Toxicity:	Not teratogenic.
Chronic Effects:	May cause liver damage from repeated oral exposure at high doses

12. Ecological Information

Ecotoxicity:	Very Toxic to aquatic life, soil organisms, terrestrial vertebrates and invertebrates. Avoid contamination of any water supply with product or empty container. Ecotoxicological data has not been determined specifically for the formulated product. Data given below is for the active ingredient imidacloprid.
Environmental Fate:	Imidacloprid is persistent with a half-life in water of > 31days (pH 5-9). Classified as immobile in soil. Leaching into deeper soils is not to be expected if used as recommended. Environmental DT ₅₀ : c. 4 h (The calculation is based on tests of direct photolysis in aqueous solutions).
Acute Toxicity to Fish:	Rainbow trout LC ₅₀ (96 hour): 211 mg/litre Golden orfe LC ₅₀ (96 hour): 237 mg/litre
Acute Toxicity Aquatic Organisms:	Daphnia LC ₅₀ (48 hour): 85 mg/litre Algae <i>Pseudokirchneriella subcapitata</i> EC ₅₀ (72hour): > 100 mg/litre
Acute Toxicity Vertebrates (Birds):	Acute oral LD ₅₀ Japanese quail: 31 mg/kg Dietary LC ₅₀ Bobwhite quail: 152 mg/kg
Acute Toxicity to Soil Dwelling Organisms:	Worms <i>Eisenia foetida</i> LC ₅₀ : 10.7 mg/kg dry soil
Acute Toxicity to Terrestrial Invertebrates:	Honey bee LC ₅₀ (48h): 0.0039 µg/bee



GLOBAL AGRICHEM

SAFETY DATA SHEET

Suite 4, level 1, 38 Whitaker Place, Grafton
Auckland, New Zealand
Tel: +64 09 972 9837
Fax: +64 09 353 1736
info@globalagrichem.co.nz

Trade name: **IMIDATAR**

Date of issue: 01 September 2015
Page 6 of 7

13. Disposal considerations

- Product disposal :** Dispose of this product only by using according to the label or at an approved landfill or other approved facility.
- Container disposal :** Triple rinse the empty container adding the rinsate to the spray tank. Recycle if possible, otherwise crush and bury in an approved local authority facility. Avoid contamination of any water supply with product or empty container. Do not use container for any other purpose.
-

14. Transport regulations

- Dangerous Goods:** Classified as dangerous goods for transport (9.1A)
- Rail /Road /Sea:** UN Number: 3082
Class: 9
Packaging Group: III
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid 60%)
Hazchem: 2X
Do not carry more than 1 litre of this product on a passenger service vehicle
Segregation: Refer to the latest Land Transport Dangerous Goods Rule 45001
Sea transport may require additional segregation (Refer to NZS5433)
-

15. Regulatory information

HSNO Approval Number: HSR101008
HSNO Controls: Refer to www.epa.govt.nz .
ACVM Approval: Registered pursuant to the ACVM Act 1997 No: P9177
ACVM Registration conditions: See: www.foodsafety.govt.nz

16. Other information

Abbreviations: ACVM: Agricultural Chemicals and Veterinary Medicines Group.
EEL: Environmental Exposure Limit
EPA: Environmental Protection Authority of New Zealand
CAS Number: Chemical Abstracts Service Number
HSNO: Hazardous Substances and New Organisms ACT 1966
LD₅₀: Lethal Dose 50% (Population)
LC₅₀: Lethal Concentration 50% (Population)
EC₅₀: Half Maximal Effective Concentration 50% (Population)
TEL: Tolerable Exposure Limit
WES: Workplace Exposure Standard

General: Imidatar is an insecticide for use in horticulture. Use only as directed on the label.



GLOBAL AGRICHEM

SAFETY DATA SHEET

Suite 4, level 1, 38 Whitaker Place, Grafton
Auckland, New Zealand
Tel: +64 09 972 9837
Fax: +64 09 353 1736
info@globalagrichem.co.nz

Trade name: **IMIDATAR**

Date of issue: 01 September 2015
Page 7 of 7

This SDS supersedes all previous issues. It summarises our best knowledge of the health and safety hazard information of the product. All users should read this SDS and consider the information in the context of how the product will be handled and used in the workplace, including in conjunction with other products. Since the actual use of this product is beyond the control of Global Agrichem Ltd, we make no warranty, expressed or implied, concerning the use of this product. It is the responsibility of users to ascertain that the product is suitable for intended applications.
